The Company Medi Waves Inc. was established in the year 2000, with its head office located at Industrial Hub of Delhi and manufacturing unit at HSIIDC kundli, Sonepat Haryana, enjoying the highly developed economic expansion and convenient transportation access.

We are combined with manufacturing, supply and service of Hospital Furniture, Emergency and ward Equipments. We are devoted to providing a one stop sales model to customer; we give more important care to customer's satisfaction. Our success has been mainly achieved by following the corporate philosophy of being firmly committed to "Integrity is the base, Customer is the first".

Managed by a professional team who has a wide range of managerial experience. Our Sales-team, Production department and QC department are working with great enthusiasm and efficacy. Our vision is providing the world class products and service improving health-care system worldwide to the top level. Wish you will enjoy our products and service in near future.











CONTENTS

Electric Beds	1
Manual Beds	5
Bath Bed	11
Pediatric Bed	12
Bed Accessories	13
Obstetric Tables	14
Gynecological Tables	16
Patient Transfer Trolleys	17
Ambulance Stretcher Trolleys	20
Foldable Stretcher	21
Examination Couches & Tables	21
Examination Tables	22
Ward Equipments	23
Surgical Tables	31





lectric Bed



Standard Function

- Electrical operated backrest, height and legrest adjustment.
- Electrical operated trendelenburg, reverse trendelenburg.
- Patient handset.
- Nurse control unit.
- Auto-CPR.
- Auto Contour.
- Hygienic design(PP), lockable and tuck away side rails.
- Profile frame with easy removable ABS plastic covers.
- · Removable head and foot ends.
- Central and directional lockable castors.
- Electrostatic painted metal frame.
- Height adjustable stainless steel IV pole.
- Plastic crash bumper.
- Battery Backup.
- Dual sided manual CPR at Backrest.
- Activation key at remote control to prevent any undesired position.

Optional Function

- Twin Castors.
- Dual sided control panel on side-rails.
- Flexible control unit.
- Bed extension.
- Linen holder.
- Lifting Pole.
- Fifth castor for easy maneuvering.
- X-Ray translucent backrest and cassette carrier.







Electric ICU CCU Bed

Technical Details

Overall length	2200 mm
Overall width	1060 mm
Height Range	500-800 mm
Trendelenburg	0°-12° (±5°)
Reverse Trendelenburg	0°-12° (±5°)
Backrest Angle (Max.)	75° (±5°)
Legrest Angle (Max.)	40° (±5°)
Castor Diameter	150 mm
Under Bed Clearance	150 mm
Product Weight	160 Kg.
Safe Working Load	230 Kg.


Electrical Details

Power In	1.5A max.
	230V AC
	50-60Hz
Batteries	2x12V Series Connected
	rechargeable
	Sealed, Lead/Acid Gel
	1.2amp Hrs.




(with Accessories)


Low-Position: 500mm



Backrest lifting: 0-75°(±5°)




Reverse Trendelenburg: 0-12°(±5°)





High-Position: 800mm




Trendelenburg: 0-12°(±5°)







Electric Bed



Standard Function

- Advance Linear Actuator system
 04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- Four Pieces individual safety side rails , ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor with central Braking system.
- S.S. Telescopic IV Rod with 4 Locations
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by hand Remote:

- Hi-Low
- Backrest elevation
- Kneerest elevation
- Trendlenburg / Reverse trendlenburg

Technical Details

Overall length	2200 mm
Overall width	1060 mm
Height Range	500-800 mm
Trendelenburg	0°-12° (±5°)
Reverse Trendelenburg	0°-12° (±5°)
Backrest Angle (Max.)	75°
Legrest Angle (Max.)	40°



4 Section Mattress X-Ray Translucent Backrest Manual CPR for Backrest



Electric Bed



Electric ICU Bed 3 Function

EHB-03



Electric ICU Bed 3 Function

EHB-04

Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm.

- Advance Linear Actuator system
 03 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- Four Pieces individual safety side rails , ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor with lock.
- Finish: Pretreated & Epoxy Powder Coated.

Positions obtained by hand Remote:

- Hi-Low
- Backrest elevation
- Kneerest elevation

Optional:

- 4 Section Mattress
- X-Ray Translucent Backrest
- Manual CPR for Backrest
- S.S. Telescopic IV Rod with 4 Locations.



Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm.

- Advance Linear Actuator system
 03 Pcs Motor, 01 Pc Control Box, 01 Pc Handset.
- · Collapsible Safety side rails.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor with lock.
- Finish: Pretreated & Epoxy Powder Coated.

Positions obtained by Hand Remote:

- Hi-Low
- Backrest elevation
- Kneerest elevation

Optional:

4 Section Mattress X-Ray Translucent Backrest Manual CPR for Backrest


S.S. Telescopic IV Rod with 4 Locations.



www.medi-waves.com

4

Vanual Bed



ICU Bed Mechanical 5 Function

MHB-01

Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm

- Four Pieces individual side rails, ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor, central braking system.
- Holder for Urine bag.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Hi-I ow
- Backrest elevation
- Kneerest elevation
- Trendlenburg / Reverse trendlenburg

Optional:

- 4 Section Mattress
- S.S. Telescopic IV Rod with 4 Locations



Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm

- · Collapsible safety side rails.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube.
- 4 section top made up of Oval perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor, central braking system.
- Holder for Urine bag.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Hi-Low
- · Backrest elevation
- Kneerest elevation
- Trendlenburg / Reverse trendlenburg

Optional:

- 4 Section Mattress
- S.S. Telescopic IV Rod with 4 Locations



MHB-02









ICU Bed Mechanical 5 Function

MHB-03

Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm

- Two Pieces individual detachable safety side rails.
- Stainless Steel Head and Foot Panel with laminated board
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 125mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Hi-Low
- Backrest elevation
- Kneerest elevation
- Trendlenburg / Reverse trendlenburg

Optional

- S.S. Telescopic IV Rod with 4 Locations
- 4 Section mattress.



Standard Function

Overall Approx Size: 2090L x 910W x 460-700H mm

- Stainless Steel Head and Foot Panel with laminated board
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of welded wire mesh.
- Bed Mounted on 125mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Hi-Low
- Backrest elevation
- Kneerest elevation

Optional

- Two Pieces individual detachable side rails.
- S.S. Telescopic IV Rod with 4 Locations
- 4 Section mattress.



ICU Bed Mechanical 3 Function

MHB-04





Hospital Fowler Bed

MHB-05

Standard Function

Overall Approx Size: 2090L x 910W x 600H mm.

- Two Pieces individual side rails, ABS Moulded.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 100mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Four Location for IV Rod.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Backrest elevation
- Kneerest elevation

Optional:

- 4 Section Mattress
- S.S. Telescopic I.V.Rod



Standard Function

Overall Approx Size: 2090L x 910W x 600H mm.

- Collapsable safety side rail.
- ABS Moulded Head and Foot panel with locking and corner buffer.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 100mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Four Location for IV Rod.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Backrest elevation
- Kneerest elevation

Optional:

4 Section Mattress S.S. Telescopic I.V.Rod



MHB-06



7



Hospital Fowler Bed

MHB-07

Standard Function

Overall Approx Size: 2090L x 910W x 600H mm.

- Collapsible safety side rail.
- Stainless Steel Head and Foot Panel with laminated board.
- Frame work made of Rectangular M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 100mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Four Location for IV Rod.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Backrest elevation
- Kneerest elevation

Optional:

- 4 Section Mattress
- S.S. Telescopic I.V.Rod





Overall Approx Size: 2090L x 910W x 600H mm.

- Tubular head and Foot Bows of unequal height with vertical tube support.
- Frame work made of M.S. Tube
- 4 section top made up of perforated CRCA MS Sheet.
- Bed Mounted on 100mm Dia Castor. 2 with brakes.
- Holder for Urine bag.
- Four Location for IV Rod.
- Finish: Pretreated & Epoxy Powder Coated

Positions obtained by Smooth Crank System with foldable handles:

- Backrest elevation
- Kneerest elevation

Optional:

- 4 Section Mattress
- S.S. Telescopic I.V.Rod
- Collapsible Safety Side Rail



Hospital Fowler Bed

MHB-08



Hospital Semi Fowler Bed

MHB-09

Standard Function

Overall Size: 2060L x 900W x 600H mm.

- Frame work made of Rectangular M.S. Tube
- 2 Section Top made of perforated M.S. Sheet.
- Back Rest Section, manoeuverd by Screw Handle from Foot End
- · ABS moulded. Head & Foot Panels.
- · Collapsible safety side rails.
- · Bed Mounted on 100mm Dia Castor. 2 with brakes.
- · Location for Four I.V. Rod.
- · Finish: Epoxy Powder Coated.

Positions obtained by Smooth Crank System with foldable handles:

Backrest elevation

Optional:

- Two Section Mattress
- S.S. Telescopic I.V.Rod



Standard Function

Overall Size: 2060L x 900W x 600H mm.

- Frame work made of Rectangular M.S. Tube
- 2 Section Top made of welded wire mesh.
- Back Rest Section, manoeuverd by Screw Handle from Foot End
- SS Head & Foot Bows with laminated panels.
- Bed Mounted on 100mm Dia Castor. 2 with brakes.
- · Location for Four I.V. Rod.
- Finish: Epoxy Powder Coated.

Optional:

- Two Section Top made of perforated M.S. Sheet.
- Two Section Mattress
- S.S. Telescopic I.V.Rod
- Collapsible safety side rail.

Hospital Semi Fowler Bed

MHB-10



9



Hospital Semi Fowler Bed

MHB-11

Standard Function

Overall Size: 1980L x 900W x 600H mm.

- Frame work made of Rectangular / Square M.S. Tube
- 2 Section Top made of perforated CRCA MS sheet.
- Back Rest Section, manoeuvred by Screw Handle from Foot End
- Tubular Head & Foot Bows of unequal height.
- Location for Four I.V. Rod.
- Finish: Epoxy Powder Coated.

Optional:

- Two Section Mattress
- S.S. Telescopic I.V.Rod
- Collapsible safety side rail.



Standard Function

Overall Size: 1980L x 900W x 600H mm.

- Frame work made of Rectangular / Square M.S. Tube
- Top made of perforated CRCA MS sheet.
- Tubular Head & Foot Bows of unequal height with vertical tube support
- · Location for Four I.V. Rod.
- Finish: Epoxy Powder Coated.

Optional:

- Bed Mattress
- S.S. I.V.Rod
- Collapsible safety side rail.



Hospital Bed Stead

MHB-12

Manual Bed and Bath Bed



Overall Size: 1850mm x 850mmx350mm

- Foldable bed. Easy assembling without tools.
- Epoxy coated steel frame, steel wire mesh mattress platform.
- Adjustable backrest 45°.
- Mattress holders, IV pole with plastic hooks with fixation clamp.
- Optional Bed mattress.

Foldable Bed

MHB-13



Electric Bath Bed

EBB-01



Standard Function

Overall Size: 1800L x 600W x 460H mm.


- Frame work made of rectangular / square M.S. Tube.
- 50 mm Foam Padded top covered with PU mattress.
- Legs fitted with PVC stumps.
- Finish : Epoxy Powder Coated.

Attendant Bed

MHB-14

Standard Function

- Height Adjustment controlled by imported Water-proof motor.
- Bed tilt 1° designed for dewatering.
- Bath tank made from Kayak Material with high dencity.
- Four side guardrail for safety and easy transfer.
- Made of high quality stainless steel.
- Also available in Hydraulic Type.



Pediatric Bed



Overall length	1600 mm
Overall width	700 mm
Overall Height	600 mm

- High quality mild steel.
- Bed Sheet top made from 2 Section CRCA Perforated Sheet
- Backrest maneuvered by screw with folding handle from foot end
- Mounted on 75 mm castors
- Full length drop side rail on both sides.
- Also available in Stainless Steel drop side rails.

Pediatric Bed 2 Function

PHB-01



- High quality stainless steel.
- Bed Sheet top made from SS Perforated Sheet.
- Mounted on 75 mm castors
- Full length drop side rail on both sides.
- · Also available in Epoxy Powder coated.

Pediatric Bed

PHB-02





Technical Details

Overall length	875 mm
Overall width	525 mm
Overall Height	650 mm

- Mild Steel frame.
- Plastic Crib for keeping baby.
- Bed top tiltable with the help of gas spring.
- Supplied with mattress for baby comfort.
- Crib mounted on 75mm castors 2 with brakes.
- · Also available in stainless steel.

Baby Crib

PHB-03



Technical Details

Overall length	875 mm
Overall width	525 mm
Height Range	650-900mm
Height Adjustment	250 mm
Trendelenburg & Reverse	12°
Height Adjustment	Gas Spring

Baby Crib Adjustable Height

PHB-04

Accessories



Lifting Pole

HBA-01



Hospital Bed Mattress

Single Crank Mattress

HBA-05

HBA-06



HBA-08



IV Pole

HBA-02

www.medi-waves.com

Double Crank Mattress
HBA-07



HBA-09

Obstetric Table



Labour Delivery Room Bed (LDR)

OHT-01

Standard Function

Overall Size: 1981mm x 965 mmLxW (Bed when fully extended)

- Mattress Platform: 1880 mm x 660 mm (L x W)
- Height Range : 670- 950 mm
- Three section top made of laminated board.

User friendly handset for electrically adjustments

- Backrest
- Height
- Trendelenburg / Reverse trendelenburg.
- Leg section can be telescoped under backrest for lithotomic positions
- Easily removable ABS moulded head boards
- Split away type ABS moduled safety side rail on each side can be easy lowered to aid in both routine and emergency nursing tasks.
- Stainless Steel bearing down supports with hand grip.
- A pair of upholstered lithotomic crutches mounted on s.s. rods.
- 125 MM Central locking castors
- Stainless Steel telescopic I.V. pole
- Stainless Steel Tray
- Three Section mattress
- All mild steel parts are pre-treated and powder coated finish







Standard Function

Overall Size: 1400mm x 600mm LxW

- Height Range: 600-1000mm
- Bed is driven by low-voltage DC motor
- Advanced backup power, safe and reliable.
- The bed frame is made of high quality stainless steel.
- Also available in spray painting carbon steel for two different models.
- Mattress is foam molding with good shape and easy to clean.

User friendly handset for electrically adjustments

- Backrest
- Height



Gynecological Table Electric

OHT-02



Obstetric Table



Standard Function

Overall Size: 1830 mm x 685 mm (L x W) (Bed when fully extended)

- · Height range 650-810 mm.
- Three section top made of laminated board
- Trendlenburg / Reverse trendelenburg adjustable through Pneumatic gas spring system.
- Height Adjustment through high quality hydraulic pump
- Leg section can telescoped under backrest for lithotomic positions.
- Swing away type Stainless steel safety side rail, can be easy lowered to aid in both routine and emergency nursing tasks.
- · Stainless Steel bearing down supports with hand grip
- A pair of upholstered lithotomic crutches mounted on s.s. rods.
- Three section 50mm PU Mattress
- 125mm Dia castors, 2 with brakes.
- Stainless Steel Tray.
- All mild steel parts are pre-treated and powder coated finish.
- · Also Available in Stainless Steel.

Obstetric Bed Telescopic

OHT-03









Standard Function

Overall Size: 1830mm x 685 mm (L x W) (Bed when fully extended)

- Height: 760 mm.
- Three section top made of laminated board
- Trendlenburg / Reverse trendelenburg adjustable through Pneumatic gas spring system.
- Leg section can be telescoped under backrest for lithotomic positions
- Swing away type Stainless steel safety side rail on three side can be easily lowered to aid in both routine and emergency nursing tasks.
- Stainless Steel bearing down supports with hand grip
- · A pair of upholstered lithotomic crutches mounted on s.s. rods
- Stainless Steel telescopic I.V. pole
- Stainless Steel Tray
- Three Section mattress
- · Also available in Stainless steel.



Obstetric Bed Telescopic

OHT-04



Eynecological Table



Standard Functions

Overall Size: 1800mm x 550mm x 800mm

- · Manufactured in MS steel tube.
- Adjustable back-rest and leg sections.
- Top is upholstered and covered with washable plastic material flame retardent.
- Complete with S.S. steel bowl 320 mm, and two standard padded leg holders.
- Knock down construction.
- · Also available in Stainless Steel.

Gynecological Table

GHC-01



- Bed, Labour and Delivery made in 3 section.
- Top is Upholstedred with washable mattress.
- Body section with legs mounted on rubber tips.
- Leg section movable on 100mm castors 2 with brakes.
- · Complete with SS bowls.
- A pair of knee crutches with height adjustable.
- Knockdown construction.
- Finish: Epoxy powder coated.
- · Also available in stainless steel.

Gynecological Couch 3 Section

GHC-03



Standard Functions:

Overall size: 1800 x 550 W x 800H mm

- Rectangular & square tube frame work mounted on PVC stumps.
- Three sections cushioned top.
- Backrest, Seat, Leg section adjustable by hand lever.
- · Complete with SS bowls.
- A pair of knee crutches with height adjustable.
- Finish: Pre treated & Epoxy powder coated.
- Also Available in Stainless Steel.

Gynaecological Couch

GHC-02



Back Section size: 1060mmx710mmx800mm Leg Section size: 920mmx680mmx640mm

- Bed, Labour and Delivery made in 2 section,
- Body section with legs mounted on rubber tips.
- · Leg section swivel castors with brakes.
- Leg section can be completely recessed under the body section supports for legs holders with solid mechanism to fix leg holders at required height & width.
- Filled mattress pad and cover mattress pad in 2 section.
- Knockdown construction
- · Finish: Epoxy powder coated.

Gynecological Table 2 Section

GHC-04

Patient Transfer Trolley



Standard Function

Overall Size: 2082mm x 860 x 608-923 mm

- Luxurious hydraulic stretcher trolley with adjustable back rest, knee rest, trendelenburg, reverse trendelenburg & adjustable height.
- Back Rest adjustable by gas spring, knee rest adjustable by super smooth crank, other functions adjustable by hydraulic mechanism.
- Framework made of mild steel epoxy coated finish
- X-ray permeable Top.
- Collapsible Safety side railings.
- Equipped with hydraulic pump.
- Equipped with I.V. Pole, drainage hook & bumper protection.
- 150mm dia noiseless castors with simultaneous braking system which locks / unlocks 2 castors with single pedal press.
- International quality structure and functionality to satisfy the needs of the best hospital and Operation theaters.

Luxury Hydraulic Transportation Trolley

PTT-01





Standard Function

Overall Size: 1930mm x640x550-850mm

- · Stretcher trolley with adjustable height and back rest,
- Back Rest section maneuvered by screw handle from foot end
- Framework made of mild steel epoxy coated finish
- X-ray permeable Top.
- Two long ABS Safety side rails.
- 150mm dia noiseless castors with simultaneous braking system with single pedal press.
- · Fifth wheel to control direction of moving.
- International quality structure and functionality to satisfy the needs of the best hospital and Operation theaters.

Transportation Trolley

PTT-02



Patient Transfer Trolley



Emergency & Recovery Trolley

PTT-03

Standard Function

Overall size: 2100L x 650W x 650-950H mm

- Two section top
- Height adjusted by foot operated imported hydraulic pump from 660 mm to 910 mm
- Gas spring assisted Trendelenburg position
- Gas spring assisted Reverse Trendelenburg position.
- · Backrest raised on ratchet.
- Complete with corner buffers
- Synthetic rubber covered handles
- Sliding X-ray cassette
- Four imported swivel castors, 150 mmdia, two with Brakes.
- X-ray Permeable removable stretcher,

Accessories:

- Tray.
- Oxygen cylinder holder.
- SS telescopic IV rod
- Swing away SS side rails.
- Pretreated and powder coated.



Standard Functions:

Overall Size: 2100L x 560W x 810H mm.

- Frame work made of Tubular MS Pipe
- Swing Away type Safety Side Railing.
- Back-rest Lifting 0-75°
- Adjustable I.V. Rod
- Two section foam padded top
- Backrest Adjustable
- Trolley mounted on 150 mm Dia castors Two with Brakes
- Finish: Pretreated & Epoxy Powder Coated
- Also available in Stainless Steel

Patient Trolley

PTT-04

atient Transfer Trolley



Patient Trolley

PTT-05

Standard Function

Overall Approx Size: 1800L x 560W x 810H mm

- Frame work made of Tubular MS Pipe Swing Away type Safety Side Railing.
- Adjustable I.V. Road, Utility Tray, Cylinder Cage Foam padded top.
- Trolley mounted on 150 mm Dia castors- Two with Brakes
- Finish: Pretreated & Epoxy Powder Coated



Standard Function

Overall size 2130 L x 560 W x 810H mm.

- Frame work of CRC tubes.
- Stretcher trolley mounted on 150 mm castors two with brakes.
- Removable stretchers top made of M.S.Sheet
- · Pushing handle at both end of stretcher trolley.
- Finish: Pre-treated and Epoxy Powder coated.
- · Also available in Stainless steel.

Optional

· Trolley Mattress

Patient Trolley

PTT-06

Ambulance Stretcher Trolley



Ambulance Stretcher Trolley

AST-01

Standard Function

- Made of high quality aluminium alloy material, with foamed mattress
- Back can be adjusted by gas spring
- Stretcher legs can be folded automatically when loading in ambulance
- With fixing device, can be locked on ambulance.

Technical Details

Overall length	1900 mm
Overall width	550 mm
Height range	260-920 mm
Backrest Lifting	70°
Load Bearing	159 Kg.



Ambulance Stretcher Trolley

AST-02

Standard Function

- Made of high quality aluminium alloy material, with foamed mattress
- The stretcher can be converted to chair positions
- Stretcher legs can be folded automatically when loading in ambulance
- With fixing device, can be locked aon ambulance.

Technical Details

Overall length	1900 mm
Overall width	540 mm
Height range	200-800 mm
Backrest Lifting	85°
Load Bearing	159 Kg.





oldable Stretcher and Examination Couch



Overall size: 2130L x 560W x 150H mm.

- M.S.Pole folding lengthwise as well as width wise.
- Finish: Pretreated and Epoxy powder coated.
- · Also available in aluminium.



- Aluminium folding lengthwise as well as width wise.
- 4 Fold, provided with bag.
- Load Bearing capacity 159 Kgs.

Emergency Foldable Stretcher

AST-03

Emergency Foldable Stretcher

AST-04



Overall Approx size:1870L x 510W x 810H.

- Adjustable backrest by gas spring system.
- Two section Foam padded, upholstered top.
- Provided with three Drawers and three Cabinets.
- Tray for B.P. Apparatus provided near head rest.
- Finish: Pre treated & Epoxy Powder Coated.
- Pullout foot stool.

Examination Couch

EHC-01



Overall size: 1800mm x 550mm x 800mm

- Manufactured in epoxy-painted steel.
- Top is upholstered and covered with washable plastic material.
- · Complete with carrying bag.
- · Also available in Stainless Steel.

Foldable Examination Couch

EHC-02

Examination Table



- Manufactured from Stainless Steel.
- Bed top made from foam with artificial leather cover
- Also available Epoxy Powder Coating.

Parameters	Specification
Overall Size	1900x600x680 mm
Matress thickness	70mm
Height of table leg	600mm

Examination Table

EHC-03



Examination Couch

BHC-02



- Powder coated steel structure
- With Foam and PU cover
- Height can be adjusted by electric motor

Parameters	Specification
Overall Size	1900x600x800 mm
Height range	500-800mm
Matress thickness	100mm
Pillow Height	50mm

Electric Examination Table

EHC-05



- Bed surface is PU leather with soft cushion, with pillow.
- · Also available in Stainless Steel.

Parameters	Specification
Overall Size	1900x600x750 mm
Matress thickness	100mm
Pillow height	50mm
Height of bed leg	600mm

Examination Table with Pillow

EHC-06



Foot Step Double

Overall step size: 450L x 450W x 450H mm. M.S. Tubular Frame fitted with PVC stumps. CRCA sheet duly pressed bent. Finish: Pre-treated & Epoxy powder coated. Also Available in Stainless Steel



Foot Step Single

Overall step size: 450L x 230W x 230H mm. M.S. Tubular Frame fitted with PVC stumps. CRCA sheet duly press bent. Finish: Pre-treated & Epoxy powder coated. Also Available in Stainless Steel



Hydraulic Stool with Cushioned Top

- Pneumatic height adjustable.
- 5 legs base fitted on 50mm castors. with S.S. footrest ring support.
- 490-630mm adjustable height.
- Finish: Stainless steel.
- Also Available in chrome plated steel.




Hydraulic Stool with Backrest

Cushioned Seat and back Pneumatic height adjustable. 5 legs base fitted on 50mm castors. with S.S. footrest ring support. 490-630mm adjustable height. Finish: Stainless steel. Also Available in Epoxy powder coated.



Revolving Stool with Cushion Top

SS tubular 4 legs fitted on 50mm castors. with S.S. footrest ring support. 450x690mm adjustable height by screw. Finish: Stainless steel. Also Available in Epoxy powder coated.



Revolving Stool with SS Top

Overall Size: 450 x 690 mm S.S. Tubular four legs fitted on PVC stumps. S.S. Foot ring supports

adjustable height S.S. Top through screw.

Finish: Stainless steel.

Also Available in Epoxy powder coated.



Overall Size: 480 X 480 x 760mm.

- Beside cabinet made of ABS material
- 1drawer and 1 storage cabinet
- One pullout tray for cup and articles
- 2 Pull out towel holder (one on each side) Optional: Castors

Bed Side Locker

HWE-07



Overall Size: 406L x 406W x 810H.

- CRCA sheet constructions.
- One Box and one drawer
- S. S. Top with three Sides raise edges
- Finish: Pretreated and Epoxy Powder coated.

Bed Side Locker

HWE-08



Overall Size: 406L x 406W x 810H.

- Tubular pipe construction fitted with PVC stumps.
- Assembled to M.S. Cupboard.
- · Stainless steel top.
- Finish: Pretreated and Epoxy Powder Coated.

Bed Side Locker

HWE-09



Overall Size: 1676H x 2438L mm.

- Tubular frame work mounted on 50mm castors.
- Includes Suitable Curtain wire & Curtain.
- · Finish: Pre-treated and Epoxy Powder Coated.
- Also available in Stainless Steel.

Bed Side Screen 4 Panel

HWE-10



Overall Size: 1676H x 2438L mm.

- Tubular frame work mounted on 50 mm castors.
- Includes Suitable Curtain wire & Curtain.
- Finish: Pre-treated and Epoxy Powder Coated.
- Also available in Stainless Steel finish.

Bed Side Screen 3 Panel

HWE-11



Overall Size: 760mm x 400mm

- Rectangular frame work mounted on 50 mm castors
- ABS Top adjustable by Pneumatic gas spring.
- Finish: Pre-treated and Epoxy Powder Coated.

Over Bed Table Pneumatic

HWE-12



Overall Size: 760mm x 400mm

- Rectangular frame work mounted on 50 mm castors.
- Laminated/ Membrane pressed top.
- · Adjustable by Pneumatic gas spring.
- Finish: Pre-treated and Epoxy Powder Coated.

Over Bed Table Pneumatic

HWE-13



Overall Size: 760 x 400mm

- Rectangular frame work mounted on 50 mm castors.
- Laminated top adjustable by side knob.
- Finish: Pre-treated and Epoxy Powder Coated.

Over Bed Table

HWE-14



Overall Size: 800 x 410mm

- 730-1130mm adjustable by gear Knob.
- Laminated Two section tiltable top.
- Rectangular frame work mounted on 50 mm castors.
- Finish: Pre-treated and Epoxy Powder Coated.

Over Bed Table Tiltable

HWE-15



Basin Stand Double Bowl

- Five Legs base mounted on 50 mm dia castors.
- With one 300 mm S. S. basin.
- Finish: Pre-treated, Epoxy Powder Coated Frame
- Stainless Steel Basins

Also Available in SS base and SS Tube.



Basin Stand Single Bowl

- Five Legs base mounted on 50 mm dia castors.
- With one 300 mm S. S. basin.
- Finish: Pre-treated, Epoxy Powder Coated Frame
- Stainless Steel Basins

Also Available in SS base and SS Tube.



Kick Bucket

S.S. Bowl of 350 mm dia/ S.S. Bucket. Framework made of MS/SS tubes. Mounted on 50 mm castors. Pre-treated and Epoxy Powder coated or Stainless Steel Frame.



Laundry Trolley

Overall Size: 800mm x 600mm x 840mm

- MS Tubular frame mounted on 100 mm Dia castors.
- Canvas Bag fitted on each side.
- Epoxy Powder Coated Finish
- · Also Available in Stainless Steel



Laundry Trolley

Overall Size: 800mm x 600mm x 840mm

- MS Tubular frame mounted on 100 mm Dia castors.
- Three shelves made of MS Sheet/ Laminated Top
- A Canvas Bag fitted on front side.
- Epoxy Powder Coated Finish
- Also Available in Stainles Steel



Linen Trolley

Overall Size: 510mm x 510mm x 910mm

- Frame work of CRC tube mounted on 100 mm castors.
- Superior quality canvas bag.
- Pre-treated and Epoxy powder coated finish.
- · Also Available in Stainless Steel.



Saline Stand

- MS tubular pipe.
- Height adjustment 1370mm2400mm.
- 5 leg Pronged base fitted with 50 mm dia castor.
- S.S. Adjustable double hook I.V. Rod
- Knob to hold I.V.Rod at one fixed height.
- Pretreated and epoxy powder coated



Saline Stand

- SS tubular pipe.
- Height adjustment 1370mm2400mm.
- 5 leg PU base fitted with 50 mm dia castor.
- S.S. Adjustable four hook I.V. Rod.
- Knob to hold I.V.Rod at one fixed height.



Attendant Stool

Overall Size: 380mm x 280mm x 450mm

- Powder Coated Steel frame.
- Laminated Stool surface.
- Also available in Stainless Steel Frame.



Oxygen Cylinder Trolley

Over all Size: 300mm x 300mm x 510mm

- Tubular frame work with two 100mm castors.
- M. S. sheet base plate.
- Finish: Pre-treated and Epoxy powder coated finish Available in 2 sizes: Small cylinder, Large cylinder



Waste Bin 20 Liters

- Waste bin in Stainless Steel
- Removable inner container of plastic material.
- Foot Pedal to open the lid



Waste Bin 14 Liters

- Waste bin in Stainless Steel
- Removable inner container of plastic material.
- Foot Pedal to open the lid



Dressing Trolley

Overall Size: 670 x 450 x 900 mm.

- Tubular frame powder coated with 2 heavy shelves.
- Mounted as four castors 100mm.
- Protective railing on three sides on both shelves.
- · Available with Bowl & Bucket.
- · Optional: One S.S. Drawer under top shelf.
- · Also available in Stainless Steel.



Medicine Trolley

Overall Size: 760 x 460 x 810 mm.

- Framework of S.S. tube mounted on100 mm castor.
- Top S.S. shelf with 3 side railing.
- Two Drawars under top shelf.
- · Bottom Shelf with four side railing.
- · Also Available in epoxy powder coated finish.



ECG Machine Trolley

Overall Size: 510 x 360 x 820 mm.

- Frame work made from stainless steel square tube.
- · Shelves with 3 side railing.
- A suitable drawer with top shelve for storage.
- · Mounted on 4 swivel castors of 75mm
- · Also Available in epoxy powder coated finish.



Instrument Trolley Two Shelves

Overall Size: 680 x 450 x 900 mm.

- Tubular frame powder coated with 2 heavy shelves.
- · Mounted on four castors of 75mm.
- · Protective railing on both shelves.
- · Also available in Stainless Steel.

Sizes Available

760 x 450 x 900mm 900 x 450 x 900mm



Instrument Trolley Three Shelves

Overall Size: 680 x 450 x 900 mm.

- Tubular frame powder coated with 3 heavy shelves.
- · Mounted on four castors of 75mm.
- Protective railing on three sides of shelves.
- · Also available in Stainless Steel.

Sizes Available

760 x 450 x 900mm 900 x 450 x 900mm



Treatment Trolley

Overall Size: 760 x 460 x 810 mm.

- Tubular frame powder coated with 2 heavy shelves.
- Mounted on four castors of 75mm.
- Top SS shelves with 3 side railing.
- One Drawars under top shelf.
- · Also available in Stainless Steel.



Mayo Trolley

- S.S. Tray Size 56 x 40cm
- Adjustable height from 760mm. to 1250mm.
- Pretreated apoxy powder coated finish
- Tubular frame made of rectangular pipe,
- Mounted on four castors of 50mm. Also available in complete SS



Waiting Area Chair

Overall size: 1800x740x800mm

- · High Quality Square tube and perforated Sheet.
- · Finish: Chrome plated steel.
- · .Galvanized arm rest.



Waiting Area Chair

Overall size: 1800x740x800mm

- · High Quality Square tube upholstered seat.
- Finish : Chrome plated steel.
- · .Galvanized arm rest.



ABS Trolley

Overall Size: 780x 490 x 920

- Designed to manage a first-aid patient in emergency
- Easy to discharge
- Ergonomic designed push handle and efficient structure
- Pull-out sliding typed writing shelf makes efficient of space applications.
- Total lock key system.
- Upgraded efficiency of storing and mobility
- Each drawer has ABS basket with well organizing dividers
- Four 125mm swivel castors 2 with brakes www.medi-waves.com



Crash Cart

Overall size: 940mm x490mm x1535mm

- Six coloured removable bins & two polystrene lockable storage units with three drawers each.
- The top drawers have containers of different size.
- Four swivel castors, 125 mm dia., two with brake.
- Complete with corner buffers, powder coated oxygen cylinder holder, S.S IV rod, S.S. shelves, cardiac massage board and electric lamp.
- · S.S. tubular frame.
- Also available in Epoxy power coated finish



Donor Chair

Overall Size: 1800 x 550 x 600 mm.

- M.S. frame, leg, seat, back and armrest padded and covered with washable plastic material.
- Simultaneous movement of back and leg rest.
- · Adjustable armrest
- · Also available in Stainless Steel.
- Flexible from 0-90°

Examination Table



Overall Size: 900x400x1800 mm

- Made form CRC sheet three side closed.
- Front glass door and MS shelves
- Finish: Pre treated & Epoxy powder coated.

Instrument Cabinet

HWE-40



Overall size 580x460x870 mm

- Foldable Chromed steel frame.
- · Fixed armrest.
- Detachable footrest.
- Solid castors, solid rear wheels.

Wheel Chair Foldable

HWE-42



Overall Size: 900x400x1800mm

- Constructed from CRC sheet steel.
- Upper section with two lockable plexi glass doors, lock and flat key.
- Three adjustable glass shelves.
- Lower section with two steel sheet locking doors and removable steel sheet shelves.

Instrument Cabinet

HWE-41



Overall size: 580x440x1290 mm

- Foldable chrome steel frame
- Plastic bowl under the seat.
- Detachable armrest and elevating footrest,
- Solid castors and rear wheels with united brake.

Wheel Chair with Commode

HWE-43